



HEMPEL'S CLEAN & SHINE 69003

| | |
|--------------------------------|---|
| Description: | HEMPEL'S CLEAN & SHINE 69003 is a concentrated wash and wax that cleans and leaves a protective film in one application. |
| Recommended use: | For removal of dirt, grime, UV light degraded surface layers and other common contaminants on gelcoat, painted and varnished surfaces, and leaving a protective wax film. |
| Availability: | Part of European Yacht assortment. Local availability subject to confirmation. |
| PHYSICAL CONSTANTS: | |
| Shade nos/Colours: | 09990/ Light yellow |
| Flash point: | 53 °C [127.4 °F] |
| Specific gravity: | 1.1 kg/litre [9.2 lbs/US gallon] |
| pH: | 11 (undiluted) |
| VOC content: | 110 g/l [0.9 lbs/US gallon] |
| | <i>The physical constants stated are nominal data according to the HEMPEL Group's approved formulas.</i> |
| APPLICATION DETAILS: | |
| Safety: | Handle with care. Before and during use, observe all safety labels on packaging and paint containers, consult HEMPEL Safety Data Sheets and follow all local or national safety regulations. |
| SURFACE PREPARATION: | Rinse the surface with fresh water to remove loose dirt. |
| APPLICATION CONDITIONS: | Shake well before use. Dilute 1 part of the product with 10-50 parts of fresh or sea water. Use low dilution for more demanding jobs. Apply the product with a sponge, soft brush or cloth onto the surface. On vertical areas, wash the surface section-by-section starting at the highest point until all dirt is removed. Rinse with fresh water removing any residue. Allow the surface to dry. |
| SUBSEQUENT COAT: | If high gloss is desired, apply:HEMPEL'S CUSTOM MARINE POLISH 67444. Finish with:HEMPEL'S WAX 69033 orHEMPEL'S WAX TecCell 69034. |
| REMARKS: | Do not expose to frost. The surface temperature should be above: 5°C/41°F |
| Note: | HEMPEL'S CLEAN & SHINE 69003 6900309990 The information given in the Product Data Sheet is intended for commercial use. |
| ISSUED BY: | HEMPEL A/S |

This Product Data Sheet supersedes those previously issued.

For explanations, definitions and scope, see "Explanatory Notes" available on www.hempel.com. Data, specifications, directions and recommendations given in this data sheet represent only test results or experience obtained under controlled or specially defined circumstances. Their accuracy, completeness or appropriateness under the actual conditions of any intended use of the Products herein must be determined exclusively by the Buyer and/or User.

The Products are supplied and all technical assistance is given subject to HEMPEL's GENERAL CONDITIONS OF SALES, DELIVERY AND SERVICE, unless otherwise expressly agreed in writing. The Manufacturer and Seller disclaim, and Buyer and/or User waive all claims involving, any liability, including but not limited to negligence, except as expressed in said GENERAL CONDITIONS for all results, injury or direct or consequential losses or damages arising from the use of the Products as recommended above, on the overleaf or otherwise. Product data are subject to change without notice and become void five years from the date of issue.